

7. Signature lines for the DISTRICT Superintendent and the DISTRICT Engineer in accordance with Section 4.D.
8. Location and dimensions of all existing and proposed drainage easements and fee strips. (See Section 9.)
9. Location of all drainage arteries adjacent to or crossing the development as determined by actual ground survey by the developer's surveyor including recording information and the DISTRICT Unit Number. Survey shall have been completed within the past year and shall show stream alignment two hundred (200) feet upstream and downstream of development.
10. Limits of the floodway and 100-year floodplain scaled from the current FIRM. If none exists, add a note stating that the subject tract lies entirely outside the 100-year floodplain.
11. For all Preliminary Plat submittals requirements must conform to the Texas Board of Professional Land Surveying Rule 663.18.
12. Names of adjacent property owners or lot and block number if a platted subdivision.

C. SUBMISSION

One copy of the Preliminary Drainage Plan (and Preliminary Plat if required) along with the applicable filing fee shall be submitted to the DISTRICT and one copy shall be submitted to the DISTRICT'S Engineer.

D. SIGNATURE BLOCK – PRELIMINARY DRAINAGE PLAN AND PLAT

Approved by Brazoria Drainage District No. 4

District Superintendent

Date

District Engineer

Date

The above signatures are valid for three hundred sixty-five (365) calendar days from the date shown. The above signatures do not constitute authorization for any construction.